SMALL & UNDER DECK TANKS



Flexi Tank Water Applications

Beat the water restrictions this summer by harvesting rain water. Our slim range is ideal for harvesting water when its plentiful and using throughout the long dry summers. Our Flexi Tank Slim range is designed to fit in long narrow spaces, under your home, under your decking are just a few ideas.



RIP-STOP FABRIC -BUILT TO LAST

- Manufactured from multi layered rip-stop technical fabric with tensile strength of 450kg per 5cm
- Manufactured since 1959 and used around the world
- ISO 9001: 2015 Study, Design & production of Flexible storage



FAST & EASY SOLUTION

- Rapid installation with minimal site preparation
- Completely enclosed system
- Minimal maintenance required



- Full 10 Year manufacturers warranty for textile and manufacture. Expected life under normal conditions is up to 20 years
- Textile approved and monitored by KIWA for UV stabilisation standards



- From 900 litres right through to 30,000 slim tanks for domestic rainwater harvesting and storage
- Discrete alternative to above ground steel or poly tanks
- Custom sizes are available upon request



BENEFITS OF FLEXI TANKS


- No evaporation
- No sunlight
- Quality water
- Enclosed storage
- Fit through small access areas
- No mosquitos
- Low maintenance
- Easy installation
- Utilise under deck space
- Utilise under building space
- Hidden from view








Simple rain harvesting set up or storm water detention





- Ensure that the surface is flat, no degree of fall and minimal variation, free of debris (sharp rocks, gravel, jagged concrete) a sand base is always best.
- DO NOT OVERFLOW the tank under the house or decking. This can be achieved by setting up a simple bypass on your down pipe at the same height as the full point of the Flexi Tank, so when the tank is full it will continue to bypass down into the storm water.
- Use a flexible hose to connect to the tank, when the tank fills and empties the connection will rise and fall at the same level as the capacity.
- Every tank installation is different, Flexi Tanks NZ recommends you engage the services and knowledge of your local plumber to install and connect to your Flexi Tank.

Under Deck Tank Pricing

Width of Tank	Length of tank	Maximum height	Capacity of tank	Equipment	Overflow	Price Including GST
1.48 Meters Wide	2 Meters	0.4m	900L (0.9m3)	50mm Valve	50mm	\$1,656
	2.9 Meters	0.4m	1,300L (1.3m3)	50mm Valve	50mm	\$1,782
	4 Meters	0.4m	1,600 (1.6m3)	50mm Valve	50mm	\$1,978
	5.1 Meters	0.4m	2,000L (2.0m3)	50mm Valve	50mm	\$2,173
	6 Meters	0.45m	2,600L 2.6m3)	50mm Valve	50mm	\$2,334
	7 Meters	0.45m	3,200L (3.2m3)	50mm Valve	50mm	\$2,530
	8 Meters	0.5m	3,900L (3.9m3)	50mm Valve	50mm	\$2,668
	9 Meters	0.55m	4,500L (4.5m3)	50mm Valve	50mm	\$2,806
	10 meters	0.55m	5,100L (5.1m3)	50mm Valve	50mm	\$2,955
2.2 Meters Wide	2 Meters	0.5m	1,500L (1.5m3)	50mm Valve	50mm	\$1,897
	2.9 Meters	0.6m	2,500L (2.5m3)	50mm Valve	50mm	\$2,024
	4 Meters	0.65m	3,700L (3.7m3)	50mm Valve	50mm	\$2,231
	5.1 Meters	0.75m	4,800L (4.8m3)	50mm Valve	50mm	2415
	6 Meters	0.75m	6,000L (6.0m3)	50mm Valve	50mm	\$2,748
	7 Meters	0.75m	7,500 (7.5m3)	50mm Valve	50mm	\$3,139
	8 Meters	0.75m	9,000L (9.0m3)	50mm Valve	50mm	\$3,300
	9 Meters	0.75m	10,000L (10m3)	50mm Valve	50mm	\$3,496
	10 meters	0.75m	11,500L (11.5m3)	50mm Valve	50mm	\$3,611









Standard Small Water Tank Pricing

Tank Capacity	Dimensions when empty	Maximum height	Empty Weight Kilos*	Equipment	Overflow	Price including GST
1m3	2.40m x 1.48m	0.5m	8 kg	50mm Valve	50mm	\$1840.00
2m3	2.96m x 1.80m	0.6m	18 kg	50mm Valve	50mm	\$1955.00
5m3	3.50m x 2.96m	0.8m	32 kg	50mm Valve	50mm	\$2298.00
10m3	5.90m x 2.96m	1.0m	52 kg	50mm Valve	50mm	\$2817.00
15m3	4.90m x 4.40m	1.1m	65 kg	50mm Valve	50mm	\$3220.00
20m3	6.00m x 4.44m	1.2m	79 kg	50mm Valve	50mm	\$3565.00
25m3	7.10m x 4.44m	1.2m	93 kg	50mm Valve	50mm	\$4025.00
	14.8m x 2.96m	1.2m		50mm Valve	50mm	
30m3	6.30m x 5.92m	1.3m	107 kg	50mm Valve	50mm	\$4370.00
	8.20m x 4.44m	1.3m		50mm Valve	50mm	



